BEST QUALITY! RIGHT PRICE

OFFER VALID 01 OCTOBER - 30 NOVEMBER 2014 - ALL PRICES INCLUDE VAT - OFFER VALID WHILE STOCKS LAST - E&OE



GEDORE

COMPLETE TOOLKIT

- Ideal for professional workshop Rigid sheet metal cabinet structure with pegboard back
- 6 Standard and 1 deep easy slide drawers incorporating extra strong ball bearing slider mechanisms
- Working platform with 3 compartments for small parts, raised edges Central drawer locking mechanism
- Two swivel castors (one with safety brake) for maximum mobility & safety
- Handle for easy manoeuverability Load capacity 300Kg
- Phosphated blue and grey powder coated

76 PIECE CLASSIC SHEET METAL TROLLEY

CONTENTS:

Inserts: 1280/81-1B60, 1280/81-D19/IN19, 1280/81-D19 Acc/Skt, 1280/81-SD-PH-STB, 1280/81-SD-MEC-EL, 1280/81-PL/137/36, 1581 Filler

Accessories:

36/1 OIL Filter Strap Wrench 50/20.8 Spark plug socket 60P/250 Adjustable Wrench

137/250 Grip plier

143/250 Universal Plier 1987 Sliding "T" bar

1990/75, 1990/125,1990/250 Extension

1993U-10T Ratchet 1995 Universal Joint

8000-A2 Circlip Plier

8000-J2 Circlip Plier

8132-200 JC Telephone Plier 8250-200 JC Combination Plier

8316-200 JC Side Cutte

Sockets:

- C19: 8-5/16", 10-3/8", 11, 12, 13-1/2", 14, 15-19/32",
- 16-5/8", 17, 18-11/16", 19, 21-13/16", 22, 24-15/16", 26-1", 27-1 1/16", 29-1 1/8", 30-1 3/16", 32-1 1/4", 7/16", 9/16", 7/8"
- Allen Key sockets:
- IN19: 5, 6, 8, 10, 12, 14mm
- Spanners:
- 1B: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20. 21. 22mm
- Allen kevs:
- 42/88m Plastic Holder: 2, 2.2, 3, 4, 5, 6, 8, 10mm
- Screwdrivers:
- 150MS 6.5 x 150, 8.0 x 175,
- 160PHS 1 x 80, 2 x100, 3 x150
- 170ELS 3.0 x 100, 4.0 x 125, 6.5 x 200
- 5.5 x 25, No 2 x 25 Stubby

EMPTY TOOL TROLLEY GEDORE ///

TOOLBOX - 5 COMPARTMENT

460x248x220mm

- Strong structure, smooth and easy opening and closing
- Lockable, phosphated and powder coated to prevent corrosion



GEDORE BI-HEX 1/2" DRIVE SOCKET SET



- Manually operated sockets with thin walls and knurled base
- CHROME VANADIUM steel 31CrV3
- Chrome plated and polished Contents: Insert: D19T
- Accessories:
- 1993Z-94 Ratchet

GEDORE ///

- 1985 Speed brace handle
- 1987 Sliding "T" bar
- 1990/125, 1990/250 Extension
- 1995 Universal joint
- Sockets: D19: 8, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 23, 24, 26, 27, 28, 30, 32mm
- Supplied in blue powder coated steel box: D19 T

GEDORE ///

COMBINATION SPANNER SETS



- CHROME VANADIUM Steel CrV3
- Chrome Plated polished rings
- Rings thin walled with deep offset
- UD profile
- Same size each end

17 PC. SET

26 PC. SET

R2255

Contents: 6 7 8 9 10 11 12 13 14, 15, 16, 17, 18, 19, 20, 21, 22mm

Contents: 6, 7, 8, 9, 10, 11, 12, 13,

24, 25, 26, 27, 28, 29, 30, 32mm

14, 15, 16, 17, 18, 19, 20, 21, 22, 23,

1/2" DRIVE REVERSIBLE RATCHET **270MM**



- For manually operated sockets and accessories with 1/2" drive
- CHROME VANADIUM steel 31CrV3
- 15° ratchet arch

TOTCOFIX-K - 1/2" DRIVE

Adjustable torque wrench with a square drive and

FREE TEST CALIBRATION AVAILABLE



TORQUE WRENCH

- integrated ratchet head function
- Interchangeable mushroom head square drive with ball locking mechanism
- In accordance with DIN EN ISO 6789
- Lever breaking mechanism with a castor guarantee tactile impulse and audible actuation signal
- Actuation accuracy: ± 3% of the scale set to torque Double scale Nm and lbf.ft behind window with magnifying effect

GEDORE 200MM PLIERS

JC SET 8132-200 JC

R835

GFD6701110

- telephone plier 8250-200 JC
- combination plier 8316-200 JC side

- External: 8000-A2 straight 8000-A21 angled
- Internal: 8000-J2 straight 8000-J21 angled

4 PC. CIRCLIP **PLIERS SET**

GEDORE)

ADJUSTABLE WRENCH - No. 62

- Chrome Vanadium steel 31CrV3
- Swedish pattern
- Jaw set at 15°



- Blackened finish Ground head
- Code Size GED636800 150mm R165 GED636819 200mm R185 GED636827 250mm **R205** GED636835 300mm **R245**

GEDORE ///

- Chrome vanadium steel 31CrV3
- Nickel plated Induction hardened jaws
- 3 Point shape bottom jaw. upper jaw with wire groove





4-WAY WHEEL WRENCH

- CHROME VANADIUM steel 31CrV3
- Blue epoxy powder coated



RIGHT PRICE

OFFER VALID 01 OCTOBER - 30 NOVEMBER 2014 O ALL PRIGES INCLUDE VATO OFFER VALID WHILE STOCKS LAST . E&OE



MAT-WELD

3 PHASE 380V TRANSFORMER MIG WELDER - 350A MATMIG 350

- · Fully Industrial Silicon rectifier type welders
- · Heavy Duty applications
- Digital Volt and Current meters
- 350 & 500 Amp Separate feeder models with 5m interconnecting cable
- Available in 380V and 380/525V dual voltage
- 2T 4T trigger function



MAT9072K Accessory Kit Sold Separately





PORTAPAK AFROX SET (EXCLUDING CYLINDERS)

- · Light and robust, yet still having man-sized capabilities. it is easily moved by one person, and can be lifted through hatches or into service vehicles
- Because of its small size and portability, the set is ideal for emergency vehicles or on maintenance duty in industry where portability is a must
- The PortaPak® is ideal for fusion weld, braze weld, silver solder, heating and cutting
- Nozzles provided will fusion weld steel up to 4 mm and cut steel up to 6 mm thick
- · The cutting capability can be extended to 20 mm by using the AFN 1,2 mm nozzle or to \pm 35 mm using the AFN 1,6 mm



The Afrox PortaPak® is the ideal welding and cutting set for those difficult-to-get-to jobs

> **OXYGEN BOTTLE** ONLY (FULL)

ACETYLENE BOTTLE ONLY (FULL)

MAT-WELD

AUTO DARKENING WELDING HELMET

- · Solar powered auto-darkening lens is ANSI approved
- Reaction time 1/25'000 second
- Darkness shade control 9-13 (clear state #3/4)
- · Full face coverage
- · Padded head bank with ratchet adjustment
- · Moulded polycarbonate construction
- · Spare lenses available (see below)





AUTO DARKENING WELDING & GRINDING HELMET

- · Suitable for MIG & Stick Welding
- Solar Powered Auto-Darkening Lens is ANSI Approved
- Reaction Time 1/25'000 Second
- Darkness Shade Control 9-13 (Clear State #3/4)
- · Light to Dark Time 0.00004 Sec.
- · Adjustable Dark to Clear Delay
- UV/IR Protection up to DIN 16 Shade at all Times







AUTO DARKENING WELDING & GRINDING HELMET

LARGER VIEWING AREA (98 x 55mm)

- · Durable, lightweight material is corrosion resistant and flame retardant
- Adjustable outside sensitivity provides clear vision both prior and during welding
- Ultra high performance filters protect against UV & IR
- · Automatically changes from light to dark state when arc is struck
- · Returns to normal state when welding stops with dark to clear time-delay adjustments available
- · Special turnover headband mechanism allows for greater comfort and reduces fatique
- Complies with DIN, ISO & En379 safety standards and ANSI Z 87.1 standards







Transarc 🥒

- Afrox Transarc electrodes are a premium grade mild steel general purpose electrode
- Suitable for welding in any position
- Suitable for use with AC or DC current
- Its easy striking and re-striking characteristic make it a favorite amongst operators





AFRW075133 3.15mm 5KG



There is a difference



DIRECT DRIVE SINGLE STAGE COMPRESSOR



- Single cylinder, single stage compressor
- Lubricated coaxial compressor perfect for DIY use
- Cast iron cylinder
- Piston with compression rings with quick settings
- Air filter fitted to head
- On/Off pressure switch
- Pressure reducer with gauges
- Wheels and vibration-damping foot
- Overload protection of electric motor with manual reset
- Drain cock



Airbrush not included

HODE

DIRECT DRIVE SINGLE STAGE **COMPRESSOR**

- Single cylinder, single stage compressor
- Lubricated coaxial compressor perfect for DIY use
- Cast iron cylinder
- Piston with compression rings with quick settings
- Air filter fitted to head
- On/Off pressure switch
- Pressure reducer with gauges
- Wheels and vibration-damping foot
- Overload protection of electric motor with manual reset
- Drain cock



Inflator not included

					Spe	ecificat	ions											Spe	ecificati	ions			
Capacity (Litres)	Volts/ Phase	НР	Kw	Displac	ement I CFM	FAI	D I CFM	BAR	PSI	RPM	Cylinder & Formation	Weight (Kg)	Capacity (Litres)	Volts/ Phase	HP	Kw	Displac L/Min.	ement CFM		D CFM	BAR	PSI	RPM
24	220/1	2,0	1,5	195	7,0	126	4,5	8	115	2850	1	26	50	220/1	2,0	1,5	195	7,0	126	4.5	8	115	2850







BELT DRIVE SINGLE STAGE COMPRESSOR

- Suitable for craftsmen who need a compressor for professional use
- Piston compressor three cylinder 90°W placed single stage
- Splash lubrication, forced ventilation, cast iron cylinder, steel valve plate and steel valves
- Overload protection of electric motor with manual reset ON/OFF pressure Switch
- Pressure reducer with two cocks
- Condensate drain cock
- Ball line cock



						Speci							
					ement CFM						Cylinder & Formation	Noise N ²	Weight (Kg)
200	220/1	3	2,2	385	11.2	250	8,9	8	115	1050	3W	1	130



							Specii	icau	ons					
Capa (Litr	city es)	Volts/ Phase	HP	Kw	Displace L/Min.	ement CFM	FAI L/Min.	D CFM	BAR	PSI	RPM	Cylinder & Formation	Noise N ²	Weight (Kg)
15	0	220/1	3	2,2	385	11.2	250	8,9	8	115	1050	2V	1	108

13mm Square Drive Free Speed 7000RPM

Max Torque 432Nm

10mm AİR HOSE

10mm REVERSIBLE DRILL



1/4" BSP 10mm AIR HOSE

- Powerful air motor resists stalls and conserves energy
- Fully reversible action
- Triple idler planetary gearing for smooth operation and extended tool life
- Teasing throttle provides precise control
- Handle exhaust reduces noise and directs air away from the workpiece
- Suitable for all industrial applications, engine work. auto body shops etc



DUAL ACTION SANDER

152mmØ 10000 RPM 1/4" BSP 10mm AIR HOSE

- Powerful air motor
- Teasing throttle provides precise control
- Accepts stick on or velcro style 150mm Ø sanding nads

Suitable for panel beating shops, furniture manufacturers and a host of industrial applications



3mm IMPACT WRENCH KIT (17 PIECE)

- Rocking dog hammer system wrench delivers an excellent torque to weight ratio
- Simple to maintain
- · Positive action trigger for speed variation
- Available with regular anvil
- Recommended for servicing applications in automotive garages and repair centres

Contents:

13mm Impact Wrench RAC7420 10 Sockets: 9,10, 11, 13, 15, 17, 19, 21, 22, 24mm

1 x 125mm Extension Bar

1 x Oil Bottle

1 x Hex Wrench

1 x Nipple

1 x Mini Oiler 1 x Plastic Case







- All general purpose spray gun accessory kit comprising the following;
- High pressure, quality spray gun
- Body washing gun
- Tyre inflating gun with accurate gauge
- Air duster gun
- 5 metre recoil hose which fits all accessories
- Supplied with 3 x spare 1/4" nozzles











HITACHI Tougher than any of your jobs!

POWER TOOLS

check out our new web site: www.hitachi-powertools.co.za



Wheel dia 115mm

Specifications:

Capacity: Wheel Dia

- Motor input 580W with max. output of 630W
- * Excellent overload durability
- * Grinding wheel not supplied

with powerful motor

115mm (4-1/2") 22mm (7/8")

Hole Dia Spindle Thread M14 x 2 580W Power Input No Load Speed 11,000/min Overall Length 254mm (10") Weight 1.4kg (3.1 lbs.) Standard Accessories Wrench, Side Handle

Specifications: Capacity: Wheel Dia Spindle Thread Power Input No Load Speed Overall Length Weight Standard Accessories

* * Improved dust sealing * * Wheel dia 115mm * * Input 800W bearings Newly designed housing

* * Includes 2 position side handle

115mm ANGLE

GRINDER 800W

115mm (4-1/2") 22.23mm (7/8") M14 x 2

800W 11,000/min 250mm (9-7/8") 1.6kg (3.5 lbs.)

Side Handle, Depressed Centre Wheel, Wrench

* Double insulated aluminium housing first in its class

* Powerful motor: power input 2400W max, power output 4600W for

Capacity: Wheel Dia Hole Dia Spindle Thread

overload durability

- * Tool-less wheel guard
- * Vibration absorbing side handle

230mm ANGLE GRINDER

2500W

* Soft, non-slip handle for increased

230mm (9") 22.23mm (7/8") M14 x 2 2400W

6600/min 492mm (19-3/8") 5.4kg (11.9 lbs.) Side Handle, Wrench



- Power input 600W
- * Cylindrical housing for durability * Offset of chuck: 28mm

Specifications:

Capacity: Concrete

Power Input No Load Speed Impact Rate Overall Length Standard Accessories 1.5-16 mm (1/16-5/8") 16mm (5/8") 25mm (1 ") 600W 2900/min. 29000/min

270mm (10-19/32") 1.5kg (3.3 lbs.) Chuck Wrench, Side Handle, * Fast drilling speed

Specifications

Power Input No Load Speed

Overall Length

Standard Accessories

Drill Chuck Capacity:

* Powerful motor input: 690W

* Compact: 333mm in length

* Small chuck offset 23.5mm

Concrete Steel

Full Load Impact Rate Overall

* Soft grip handle

* Two-finger sized trigger switch

with speed dial

1.5 - 13mm (1/1 6 - 1/2") High: 13mm (1/2") Low: 18mm (11/1 6") High: 8mm (5/16") Low: 13mm (1/2")

High: 0-3000/min. Low: 0-1000/min. High: 27300/min. Low: 8400/min. 333mm (13-1/8")

2.0kg (4.4 lbs.) Side Handle, Depth Gauge, Chuck Wrench, Carry Case

24mm ROTARY HAMMER

DRILL (SDS-PLUS)

3 MODE VAR/REV 800W

* 3-mode action: hammer drilling, drilling only and hammering only

Specifications:

Capacity: Concrete:

Mild Steel

Power Input Bit Shank No Load Speed Full Load Impact Rate Overall Lenath

Weight Standard Accessories

Drill Bit 24mm (15/16") Core Bit 50mm (2") 13mm (1/2") Wood 32mm (1 1/4") 800W SDS-plus 0 - 1,150/min. 0 - 4,600/min. 351mm (13-13/16")

2.4kg (5.3 lbs.) Side Handle, Depth Gauge, Carry Case



12mm DRIVER DRILL 2 SPEED - VAR/REV 12V Soft grip handle

Max torque in lock: 26Nm (230in.-lbs.)

Fan-cooled motor with 2-speed gear

10mm keyless chuck

Adjustable clutch: 22-stage torque

Adjustable hook with bit holder

2 x 1.5Ah batteries BCC1215 with 30-min. charger UC18YG

Supplied with torchlight UB12D and bit set

Screw Battery Voltage No Load Speed: High Low Torque Setting

Capacity: Mild Steel Soft Wood Screw (DxL)5.8 x 63mm (#12 x 2-1/9")

Word Screw (DxL)5.8 x 63mm (#12 x 2-1/9")

Screw Battery Voltage (#12 x 2-1/9")

Overall Length
Weight
Standard Accessories

15.8 x 63mm (#12 x 2-1/2") 6mm (1/4") 12V 0 - 1,050/min. 0 - 350/min. 1-6 Nm (9-52 in.-lbs.) 221mm (8-3/4") 28 Batteries (BCC1215), Charger (UC18YG), Driver Bit, Carry Case, Torchlight & Bit Set

CIRCULAR SAW 165mmØ - 1050W

Rigid aluminium base for fine cut

* Side handle easy to grip

* Backward dust emission

Specifications:

Canacity: Blade Dia Max Cut Depth: @ 90°

Power Input No Load Speed Overall Length Weight

165mm (6-1/2") 57mm (2-1/4") 38mm (1-1/2") 1050W 5.500/min 276mm (10-7/8") 3.2kg (7.0 lbs.) Blade, Guide, Wrench

OFFER VALID 01 OCTOBER - 30 NOVEMBER 2014 - ALL PRICES INCLUDE VAT- OFFER VALID WHILE STOCKS LAST • E&OE

BLACK&DECKER®







900W 115mm Small Angle Grinder

Features

- 115mm disc size useful when working in confined spaces
- 900W motor provides an ideal balance between power, weight and size
- · 2 position side handle for additional control and safety
- Spindle lock makes accessory changing quick and easy
- Tool free safety guard makes guard adjustment quick and easy
- · Lock on switch assists with comfort and control

500W Percussion Hammer Drill

Features

Features

- 500W power suitable for home drilling
- · Hammer action suitable for drilling into masonry
- 13mm, high quality keyed chuck
- Variable speed offers more control and is essential for screwdriving

· Compact power - Powerful 240W motor gets the job done quicker Compact design gets you closer to the work surface for greater control Large orbit size and high sander speed for faster material removal

Ideal for using on vertical surfaces such as doors and walls, for light to medium sanding tasks Lightweight sander with front and rear handles for maximum comfort and control Quick & easy paper change - hook & loop or traditional clip attachment

Lock on button for greater comfort

135W 1/3 Sheet Sander





Specification

900W
230V
115mm
10000rpm
Body grip
M14mm
Yes
Slider

Power	500W
Voltage	230V
Chuck	Keyed
Chuck size	13mm
Hammer	Yes
Beats per minute	47600bpm
Max. Torque	3.7Nm
Max. capacity - wood	20mm

Specification

Specification

Power Speed

Strokes

Bevel cut

Depth of cut

Dust blower

Dust extraction

Power	135W
Speed	Single
No load speed	11000rpm
Eccentricity	1.0mm
Orbit diameter	2.0mm
Sanding actions	Orbital
Paper size	92 x 230mm
Platten size	91 x 189mm

480W

0-45°

Yes

Yes

Variable

0-3000/min

Steel 5mm

Wood 60mm

13344
Single
11000rpm
1.0mm
2.0mm
Orbital
92 x 230mm
91 x 189mm

400W Single Speed Standard Jigsaw

Versatile - Third sheet base sands flush to 3 sides

Features

- · Universal blade clamp holds both U & T shank blades
- · Integral dust blow feature keeps the line of cut clear
- Integral blade storage allows various blades to be kept with the product
- The sightline channel makes viewing the line of cut much easier
- · The lock-on switch increases comfort during prolonged cutting





Mouse Detail Sander + 15 Accessories

Features

- · Detail base is designed to give better results when sanding intricate areas
- Removable tips allowing other profile tips to be added for greater versatility
- Quick fit sanding paper for faster sanding action and easier paper fitment
- Rotatable base allows user to rotate paper as it wears, extending the life of the sanding paper
- Rocker switch for continual operation. Hands can move freely about the unit while in use



1150W 55mm Circular Saw

Features

- Bevel cut facility for versatility
- Rise and fall depth setting function for optimum cutting performance
- Low noise & vibration
- Safety lock-off prevents unintentional starting
- Dust extraction ports for a clean and tidy workplace





Specification

Power	55W
Speed	Single
No load speed	11000 rpm
Eccentricity	0.75 mm
Orbit diameter	1.5 mm
Dust Extraction	Vac. adaptor
Paper attachment	Quick Fit

Specification

Power	1150 W
Depth of cut	55 mm
No load speed	5,000 rpm
Blade diameter	170 mm
Bore size	16 mm
Bevel cut	0-45 °
Dust extraction	Yes



- 11pc 1/4" Dr. 12pt sockets:
- 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12mm 18pc 1/2" Dr. 12pt sockets

10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm

- 1pc 1/4" Dr. quick-release offset ratchet
- 1pc 1/2" Dr. quick-release offset ratchet
- 2pc universal joints: 1/4" & 1/2" Dr.
- 2pc 1/2" Dr. spark plug sockets: 16 & 21mm
- 2pc 1/4" Dr. extension bars: 50 & 100mm
- 2pc 1/2" Dr. extension bars: 125 & 250mm
- 1pc 1/4" Dr. sliding T-bar
- 1pc 1/2" Dr. sliding T-handle
- 1pc 150mm flexible extension
- 1pc 1/4" Dr. spinner handle
- 1pc 1/4" bit coupler
- 36pc 25mm screwdriver bits: 5pc Phillips: #0, #1, #2 x 2, #3

8pc Slotted: 2, 2.5, 3, 4, 5, 5.5, 6, 7mm 10pc Star: T8, T9, T10, T15, T20, T25, T27, T30, T40, T45

8pc Hex: 2, 2.5, 3, 4, 5, 5.5, 6, 7mm 5pc Pozi: #0, #1, #2 x 2, #3

3 SPARE STORAGE DRAWERS

Type Star: T10, T15, T20, T25, 727, T30, T40 11pc Hex: 1.27, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0mm

- 1pc 160mm diagonal cutting pliers 1pc 160mm long nose pliers
- 1pc 180mm combination pliers
- 1pc 200mm water pump pliers 1pc 175mm locking grip pliers

BONUS ARGE TOOL DRAWER



- 5pc combination wrenches
- 1pc utility knife

8pc cushioned grip screwdrivers: 4pc Phillips: #1 x 75, #2 x 38, #2 x 100, #3 x 150mm 4pc slotted: 6 x 38, 4 x 75, 5 x 100, 6 x 150mm



117 PIECE, 4 DRAWER TOOLCHEST COMPLETE

R2165

GEDORE ///

TOOL KIT - COMPLETE WITH TOOLBOX

- Precision manufactured tool Box from high quality mild steel
- Chrome vanadium sockets and spanners
- With accessories
- Extra storage tray available

Toolbox: 1282 Accessories:

Grip Pliers 145/250 Universal Pliers 1987 Sliding T-Bar 1990-75 Extension

15, 16, 17, 18, 19, 20, 21,

Allen Keys: 42/88M Plastic Holder, 2, 2.5, 3, 4, 5, 6, 8,







SCISSOR JACK - 1 TON

360mm Max Height

R139

- Solid construction
- Superior strength, stability and
- Compact and easy to stow away



- construction jobs



Heat treated extension screw



490mm Lift Height

- Built in safety valve ensures safe operation
- Equipped with patented quick-lift foot pedal
- Handle actuated release valve provides metered control
- Conforms to ANSI/ASME safety standards





2,5 TON PALLET JACK 175mm Lift Height

- Swivel wheels
- Pump handle to engage hydraulic lift
- Lowering release on main handle at





- Sturdy welded steel construction for superior safety and strenath
- One piece multi-position ductile ratchet bar provides super strength and durability
- Quick adjustment mechanism securely locks into desired position
- TO BE USED IN PAIRS ONLY



STANDARD GARAGE CREEPER

· Handy tool compartment

Cushion Headrest

Lightweight





BEST QUALIT OFFER VALID 01 OCTOBER - 30 NOVEMBER 2014 O ALL PRIGES INCLUDE VATO OFFER VALID WHILE STOCKS LAST • E&OE



COMBINATION TOOL KIT IN POUCH **25 PIECES**

- Handy zip-up carry pouch
- Cushion grip handles
- A general purpose toolkit
- Contents
- Hex Key Wrenches 1.5, 2, 2.5, 3, 4 5, 6, 8, 10mm
- Heavy Duty Utility Knife
- Mini Diagonal Cutting Pliers Mini Long Nose Pliers 125mm 125mm
- Combination Pliers 175mm
- Long Nose Pliers 150mm Diagonal cutting Pliers 150mm
- Water Pump Pliers
- Claw Hammer Screwdrivers
- 3 x 150, 6 x 100mm Phillips PH0 x 150, PH2 x 100mm Precision Screwdrivers
- Flat 2 4 x 40mm Phillips PH00 x 40mm
- Steel Measuring Tape 3m x 13mm
 Electrical tester









COMBINATION TOOL KIT IN POUCH - 18 PIECES

- Handy zip-up carry pouch
- Cushion grip handles
- A general purpose toolkit
- Contents:
 - Hex Key Wrenches 1.5, 2, 2.5, 3, 4
 - 5, 6, 8, 10mm 175mm Combination Pliers
- Long Nose Pliers 150mm Adjustable Wrench 200mm
- Claw Hammer 300gr
- Screwdrivers

3 x 75, 5 x 75mm PH0 x 75, PH1 x 75mm Flat

Electrical tester









300mm HACKSAW

· Strong comfortable die-cast aluminium handle

250mm

300ar

· Frame is adjustable to hold 250mm blades





150mm JUNIOR HACKSAW

- Chrome plated steel wire frame is designed to give perfect blade tension during use
- · Supplied with 150mm shatterproof blade





220V ENGRAVER

- Hand held engraver tool
- Useful for marking of all types of equipment
- Works on steel, glass plastic, ceramics







200mm LOCKGRIP PLIERS

- · Adjustable jaws to suit many sizes
- Quick release lever
- Serrated gripping jaws with strong locking action





450mm PIPE WRENCH

- Drop forged handles and jaws
- High grade cast malleable iron frames





300mm COMBINATION SQUARE

A multi-purpose measuring tool with a scriber, which functions as an outside and inside try square, mitre square, horizontal level and depth gauge

The 300mm steel blade is calibrated on both sides





WELDER'S WIRE BRUSH





6 Pc. SCREWDRIVER SET



- Comfortable plastic handles are impact resistant
- Clearly indicate screwdriver size and type
 - Contents: 3.5 x 75mm 4.0 x 100mm 6.0 x 100mm 8.0 x 150mm

PH1 x 75mm















Contents: ELS 3 x 80, 4.0 x 100 MLS 5.5 x 125mm, 6.5 x 150mm Phillips PH1 x 80, PH2 x 100mm



uality Hand Tools

200mm COMBINATION PLIERS

- · All purpose plier for cutting and gripping
- · Drop forged carbon steel for strength
- Induction hardened edges for cleaner cutting and durability
- Non-slip cushion grips for

R55

200mm DIAGONAL **CUTTERS - HEAVY DUTY**

- Durable hardened edge for easy wire cutting and electrical work
- Drop forged carbon steel
- Induction hardened edges for cleaner cutting and durability
- Non-slip cushion grips for comfort

R65

200mm LONG NOSE **PLIERS**

- Long, fine serrated jaws for electrical and general work
- Drop forged carbon steel
- Induction hardened edges for cleaner cutting and durability
- Non-slip cushion grips for comfort

R55

250mm FENCING PLIERS

- · Multi-usage joint construction
- Oval jaws with deep cut teeth for pipe work
- Pulling point jaws with wire stretcher and heavy duty wire cutter
- Drop forged carbon steel for strenath
- Non-slip cushion grips for comfort



3 PCE MECHANIC PLIER SET

- Drop forged carbon steel
- Induction hardened edges for cleaner cutting and durability
- Non-slip cushion grips for comfort
- Combination plier -180mm
- Side Cutter 160mm
- Long Nose 150mm

250mm CONCRETE NIPPERS

- Twist and cut binding wire in one operation
- Drop forged carbon steel for strength
- Non-slip cushion grip for comfort

R55

SCREWDRIVER - SET 6 PIECES

- Heat treated alloy steel blades
- Hardened tips give non slip fit for use on most stripped screws
- Rust resistant nickel plated blade
- Contents: Slotted: 4.5 x 75 mm 4.5 x 150 mm 6.5 x 150 mm 6.5 x 100 mm Phillips: 1 x 75 mm 2 x 100 mm







12-IN-1 MULTI-TOOL

- Stainless steel construction
- High quality nylon holster Includes the following tools: *R215*
- Long nose pliers
- Wire cutter
- Saw Standard screwdriver (1/4")
- Small knife
- Bottle opener
- Curve iaw pliers
- Standard screwdriver (5/16
- File
- Large knife
- Phillips® screwdriver
- Standard screwdriver (1/8")

30m CHALKLINE - DIE CAST **METAL CASE**

- Professional chalk line reel
- Universal hook attaches to any projection or slot

STAPLE GUN, BRAD NAILER & CABLE

- With slide hatch for filling
- Fold away handle



300mm HACKSAW - FIXED FRAME · Flat steel frame non-adjustable



40W GLUE GUN - HEAVY DUTY Includes 3 glue sticks



Feeding system to prevent glue from backing up

All metal drive Wire stand allows gun to be placed on work surface channel ensures better penetration

SABS

and move driving

TACKER

housing

Hi/Lo power lever

Flush nose design





BEST QUALITY!

500g CLAW HAMMER - STEEL

- Polished steel heads are precision ground and hardened
- Rubber handle for secure grip
- One piece construction



500g CLAW HAMMER - FIBREGLASS

- · Polished steel heads are precision ground and hardened
- Rubber handle for secure grip
- Fibreglass handle to reduce vibration





2kg CLUB HAMMER - FIBREGLASS

- Polished steel heads are precision ground, hardened and chamfered
- Rubber handle for secure grip
- The fibreglass shaft is securely bonded to the steel head



RUBBER MALLET - STEEL SHAFT

- · A hard wearing black rubber mallet
- The head is securely mounted on a steel shaft



600mm GRADUATED LEVEL - 3 VIAL

- 3 vial box levels in a range of sizes from 450mm to 1200mm
- Third vial measures 45°

.0

Graduated in mm increments



CARPET TRIMMING KNIFE

- Interlock nose firmly secures blade into knife
- Die cast zinc body both strong and lightweight
- 5 Blade position allows wider usage for variety of cutting applications
- Blades stored in handle



TRIMMING KNIFE - RETRACTABLE

- Interlock nose firmly secures blade into knife
- Plastic handle



TRIMMING KNIFE - RETRACTABLE SHIGH QUALITY BLADES INCLUDED

- Interlock nose firmly secures blade into knife
- Die cast zinc body both strong and lightweight
- 5 Blade position allows wider usage for variety of cutting applications
- Blades stored in handle



18mm TRIMMING KNIFE - SNAP-OFF

- Two part moulded body that allows rapid blade changing
- Multi-position push button for quick and easy use
- Blade snapper included in handle for safety
- Supplied with 1 blade



3 HIGH QUALITY BLADES INCLUDED



TRIMMING KNIFE BLADES

- Quality high carbon steel
- Accurate ground cutting edge Precision honed
- 100 Pack



Durable metal chrome plated case Unique MYLAR coating protects three colour blade graphics for up to 10x more

Automatic blade return with thumb operated lock





ADJUSTABLE HACKSAW + 6Pc. STUBBY **SCREWDRIVER SET**

· Flat steel frame with plastic handle for comfort grip



MULTI-BIT RATCHET SCREWDRIVER + SNAP-OFF KNIFE

- STANLEY Multi-Bit Ratchet Screwdriver
- Light-duty, retractable knife with Quick-Point snap-off blades
- Removable blade snapper included in



SLIDING POCKET KNIFE + 10 BLADE CARTRIDGE

Durable all-metal, die-cast zinc construction Stanley knife which includes 10 free blades

